

Vorratsliste Herbst 2017

Bezeichnung	Bestand	Qualität	Größe
Sträucher, Bodendecker, Container			
<i>Amelanchier laevis</i>	72	IStr	2 Tr. 40 - 70
	26	IStr	2 Tr. 70 - 90
	49	vStr	3 Tr. 40 - 60
	15	C 7,5	80 - 100
	6	Sol 3xv mB	100 - 125
	4	Sol 3xv mB	125 - 150
	3	Sol 3xv mDb	200 - 250
	25	Sol C 20	80 - 100
	25	Sol C 20	100 - 125
	20	Sol C 20	125 - 150
<i>Amelanchier lamarckii</i>	80	IStr	2 Tr. 40 - 70
	60	IStr	2 Tr. 70 - 90
	18	C 7,5	100 - 150
	19	Sol 3xv mDb	125 - 150
	84	Sol 3xv mDb	150 - 175
	93	Sol 3xv mDb	175 - 200
	175	Sol 4xv mDb	200 - 250
	49	Sol C 20	125 - 150
	23	Sol C 20	150 - 175
	18	Sol C 40	175 - 200
<i>Berberis thunbergii</i>	440	vStr	4 Tr. 40 - 60
	466	vStr	4 Tr. 60 - 100
<i>Berberis thunbergii 'Atropurpurea'</i>	60	IStr	3 Tr. 40 - 70
	834	vStr	4 Tr. 40 - 60
	555	vStr	4 Tr. 60 - 100
<i>Buxus sempervirens 'Blauer Heinz'</i>	13	3 j.v.St	0/1/2 P 0 - 0
	2	4xv mB	70 - 80
<i>Buxus sempervirens 'Suffruticosa'</i>	15	3 j.v.St	0/1/2 P 0 - 0
<i>Buxus sempervirens var.arborescens</i>	55	4xv mB	80 - 100
	50	Sol 4xv mDb	60- 80 x 80 - 100
	20	Sol 5xv mDb	80-100 x 80 - 100
<i>Calluna vulgaris</i>	80	P 0,5	10 - 15
<i>Calluna vulgaris 'Allegro'</i>	496	P 0,5	10 - 15
<i>Calluna vulgaris 'Boskoop'</i>	442	P 0,5	10 - 15
<i>Calluna vulgaris 'Carmen'</i>	349	P 0,5	10 - 15
<i>Calluna vulgaris 'Darkness'</i>	97	P 0,5	10 - 15
<i>Calluna vulgaris 'Gold Haze'</i>	396	P 0,5	10 - 15

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>		<i>Größe</i>
<i>Calluna vulgaris 'J.H.Hamilton'</i>	20	P 0,5		10 - 15
<i>Calluna vulgaris 'Long White'</i>	96	P 0,5		10 - 15
<i>Calluna vulgaris 'Mair's Variety'</i>	603	P 0,5		10 - 15
<i>Calluna vulgaris 'Marleen'</i>	507	P 0,5		10 - 15
<i>Calluna vulgaris 'Radnor'</i>	38	P 0,5		10 - 15
<i>Calluna vulgaris 'Ralph Purnell'</i>	97	P 0,5		10 - 15
<i>Calluna vulgaris 'Red Favorit'</i>	45	P 0,5		10 - 15
<i>Calluna vulgaris 'Sir John Charrington'</i>	50	P 0,5		10 - 15
<i>Cotoneaster dammeri 'Jürgl'</i>	392	P 1		20 - 30
	6775	P 1		30 - 40
<i>Cotoneaster dammeri radicans</i>	10	2 j.v.St	0/1/1 P	15 - 30
	8	P 0,5		0 - 0
	10	P 0,5		20 - 30
	1900	P 1		15 - 20
	6660	P 1		20 - 30
	310	P 1		30 - 40
<i>Cotoneaster dammeri 'Skogholm'</i>	1672	P 1		20 - 30
	2856	P 1		30 - 40
<i>Cotoneaster horizontalis</i>	1656	2 j.v.St	0/1/1 P	15 - 20
	242	C 2		20 - 30
	167	C 2		30 - 40
	29	C 2		40 - 60
<i>Cotoneaster micro.'Streibs Findling'</i>	387	P 1		15 - 20
<i>Cotoneaster procumbens 'Queen of Carpets'</i>	100	P 1		10 - 15
	667	P 1		15 - 20
	785	P 1		20 - 25
<i>Cotoneaster radicans 'Eichholz'</i>	500	P 1		15 - 20
	3725	P 1		20 - 30
	2430	P 1		30 - 40
<i>Cotoneaster x suecicus 'Coral Beauty'</i>	2597	P 1		30 - 40
	464	P 1		40 - 60
<i>Cytisus purpureus</i>	140	P 1,5		20 - 30
<i>Deutzia kalmiiiflora</i>	33	I Str	3 Tr.	70 - 90
	170	v Str	5 Tr.	60 - 100
	31	C 3		40 - 60
	48	C 3		60 - 100
	13	Sol 3xv mB		100 - 125
	17	Sol 3xv mB		125 - 150
	20	Sol C 20		80 - 100
	20	Sol C 20		100 - 125
<i>Deutzia scabra 'Plena'</i>	18	I Str	3 Tr.	70 - 90
	70	v Str	4 Tr.	60 - 100

Bezeichnung	Bestand	Qualität	Größe
Deutzia scabra 'Plena'	160	vStr	5 Tr. 100 - 150
	1	Sol 3xv mB	125 - 150
	18	Sol 3xv mB	150 - 200
	17	Sol C 20	125 - 150
Erica carnea i.S.	1077	P 0,5	10 - 15
Erica carnea 'Lohses Rubin'	2870	P 0,5	10 - 15
Erica carnea 'Rubintepich'	954	P 0,5	10 - 15
Erica carnea 'Snow Queen'	4589	P 0,5	10 - 15
Erica carnea 'Springwood White'	200	P 0,5	10 - 15
Erica x darleyensis i.S.	4535	P 0,5	10 - 15
Erica x darleyensis 'George Rendall'	997	P 0,5	10 - 15
Erica x darleyensis 'Kramer's Rote'	3354	P 0,5	10 - 15
	1000	P 0,5	15 - 20
Forsythia intermedia 'Spectabilis'	80	I Str	2 Tr. 70 - 90
	40	I Str	3 Tr. 70 - 90
	114	v Str	3 Tr. 60 - 100
	550	v Str	4 Tr. 60 - 100
	46	Sol 3xv mB	125 - 150
	32	Sol 3xv mB	150 - 200
	15	Sol 3xv mB	200 - 250
	7	Sol C 20	100 - 125
	40	Sol C 20	125 - 150
	Forsythia 'Lynwood'	70	I Str
20		I Str	3 Tr. 70 - 90
80		v Str	3 Tr. 60 - 100
245		v Str	4 Tr. 60 - 100
25		Sol 3xv mB	125 - 150
41		Sol 3xv mB	150 - 200
14		Sol 3xv mB	200 - 250
17		Sol C 20	100 - 125
10		Sol C 20	125 - 150
Hydrangea petiolaris		188	2 j.v.St
	100	C 2	20 - 30
	82	C 3	30 - 40
	87	C 3	40 - 60
	50	C 7,5	80 - 100
Hypericum 'Hidcote'	477	P 1	20 - 30
	1098	P 1	30 - 40
Ilex crenata 'Convexa'	131	2 j.v.St	0/1/1 P 0 - 0
Ilex crenata 'Stokes'	81	3 j.v.St	0/1/2 P 0 - 0
Juniperus com. 'Suecica'	3	Sol 5xv mDb	275 - 300
Kolkwitzia amabilis	50	C 3	40 - 60
	30	C 3	60 - 100

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>		<i>Größe</i>
<i>Kolkwitzia amabilis</i>	38	Sol C 20		100 - 125
<i>Ligustrum ibolium</i>	360	I Str	5 Tr.	50 - 80
	795	v Str	6 Tr.	60 - 100
	993	v Str	8 Tr.	60 - 100
	210	v Str	8 Tr.	100 - 150
<i>Ligustrum ovalifolium</i>	795	v Str	6 Tr.	60 - 100
	993	v Str	8 Tr.	60 - 100
	210	v Str	8 Tr.	100 - 150
<i>Ligustrum vulgare</i>	635	v Str	6 Tr.	60 - 100
	675	v Str	8 Tr.	60 - 100
<i>Ligustrum vulgare 'Atrovirens'</i>	1385	v Str	6 Tr.	60 - 100
	2205	v Str	8 Tr.	60 - 100
	605	v Str	8 Tr.	100 - 150
<i>Ligustrum vulgare 'Glaucum'</i>	100	I Str	5 Tr.	50 - 80
	359	v Str	6 Tr.	60 - 100
	1130	v Str	8 Tr.	60 - 100
	617	v Str	8 Tr.	100 - 150
<i>Lonicera caerulea</i>	175	v Str	4 Tr.	40 - 60
	1459	v Str	5 Tr.	60 - 100
	90	C 2		30 - 40
<i>Lonicera nitida 'Elegant'</i>	1000	2 j.v.St	0/1/1 P	0 - 0
	947	P 0,5		15 - 20
	4000	P 0,5		20 - 30
	1943	P 1		20 - 30
	3150	P 1		30 - 40
<i>Lonicera nitida 'Maigrün'</i>	850	2 j.v.St	0/1/1 P	0 - 0
	797	P 0,5		0 - 0
	450	P 0,5		20 - 30
	1230	P 1		20 - 30
	3440	P 1		30 - 40
<i>Lonicera pileata</i>	26	P 0,5		0 - 0
	7	P 0,5		20 - 30
	3042	P 1		30 - 40
<i>Lonicera xylosteoides 'Clavey's Dwarf'</i>	20	I Str	3 Tr.	40 - 70
	402	v Str	5 Tr.	60 - 100
<i>Pachysandra terminalis</i>	336	P 0,5	Tr.	3 - 4
<i>Pachysandra terminalis 'Compacta'</i>	970	P 0,5	Tr.	3 - 4
	6054	P 0,5	Tr.	5 - 7
<i>Pachysandra terminalis 'Green Carpet' -R-</i>	428	P 0,5	Tr.	3 - 4
	702	P 0,5	Tr.	5 - 7
<i>Philadelphus 'Belle Etoile'</i>	32	v Str	5 Tr.	60 - 100
	8	C 3		40 - 60
	6	C 3		60 - 100
	30	C 20		100 - 125

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>	<i>Größe</i>
Philadelphus 'Belle Etoile'	9	Sol 3xv mB	100 - 125
	5	Sol 3xv mB	125 - 150
Philadelphus coronarius	7	Sol 3xv mB	125 - 150
	4	Sol 3xv mB	150 - 200
Philadelphus 'Erectus'	825	vStr	5 Tr. 60 - 100
	25	Sol C 20	100 - 125
Philadelphus 'Virginal'	95	IStr	3 Tr. 70 - 90
	405	vStr	4 Tr. 60 - 100
	50	vStr	5 Tr. 100 - 150
	19	Sol 3xv mB	125 - 150
	15	Sol 3xv mB	150 - 175
	20	Sol C 20	80 - 100
Photinia davidiana	50	C 7,5	40 - 60
Potentilla 'Goldfinger'	14	IStr	3 Tr. 40 - 70
	126	vStr	4 Tr. 40 - 60
	169	vStr	5 Tr. 60 - 100
	96	C 3	40 - 60
Ribes alpinum	15	vStr	6 Tr. 60 - 100
	201	vStr	8 Tr. 40 - 60
	221	vStr	8 Tr. 60 - 100
Ribes alpinum 'Schmidt'	20	vStr	8 Tr. 60 - 100
Ribes sanguineum 'Atrorubens'	100	vStr	4 Tr. 60 - 100
	400	vStr	5 Tr. 100 - 150
Ribes sanguineum 'King Edward VII'	100	vStr	4 Tr. 60 - 100
	400	vStr	5 Tr. 100 - 150
Ribes sanguineum 'Pulborough Scarlet'	214	vStr	5 Tr. 100 - 150
	60	C 3	40 - 60
	14	Sol C 20	150 - 200
Spiraea arguta	375	IStr	3 Tr. 40 - 70
	31	IStr	3 Tr. 70 - 90
	500	vStr	4 Tr. 40 - 60
	1945	vStr	4 Tr. 60 - 100
	200	C 3	40 - 60
	32	C 3	60 - 100
	50	Sol 3xv mB	100 - 125
	56	Sol 3xv mB	125 - 150
	46	Sol 3xv mB	150 - 175
	50	Sol C 20	80 - 100
	39	Sol C 20	100 - 125
	10	Sol C 20	125 - 150
Spiraea betulifolia	433	vStr	5 Tr. 30 - 40
	107	vStr	5 Tr. 40 - 60
	748	C 2	20 - 30
	960	C 2	30 - 40

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>		<i>Größe</i>
<i>Spiraea betulifolia</i>	421	C 3		40 - 60
<i>Spiraea betulifolia 'Tor'</i>	85	vStr	5 Tr.	30 - 40
	715	vStr	5 Tr.	40 - 60
	805	C 2		20 - 30
	204	C 2		30 - 40
<i>Spiraea cinerea</i>	310	vStr	5 Tr.	40 - 60
<i>Spiraea cinerea 'Grefsheim'</i>	500	vStr	4 Tr.	40 - 60
	3235	vStr	4 Tr.	60 - 100
	199	C 3		40 - 60
	50	C 3		60 - 100
	50	Sol 3xv mB		100 - 125
	64	Sol 3xv mB		125 - 150
	37	Sol 3xv mB		150 - 175
	40	Sol C 20		100 - 125
	1	Sol C 20		125 - 150
<i>Spiraea japonica 'Anthony Waterer'</i>	655	vStr	5 Tr.	30 - 40
	607	vStr	5 Tr.	40 - 60
	285	P 1		20 - 30
	980	C 2		20 - 30
	881	C 2		30 - 40
<i>Spiraea japonica 'Froebelii'</i>	20	I Str	3 Tr.	40 - 70
	41	vStr	4 Tr.	40 - 60
	12	vStr	5 Tr.	60 - 100
	28	C 3		30 - 40
	67	C 3		40 - 60
<i>Spiraea japonica 'Little Princess'</i>	15	vStr	4 Tr.	20 - 30
	945	vStr	4 Tr.	30 - 40
	100	P 1		15 - 20
	239	C 2		20 - 30
<i>Spiraea nipponica</i>	335	vStr	4 Tr.	60 - 100
	205	vStr	5 Tr.	100 - 150
	44	C 3		40 - 60
	43	C 3		60 - 100
	20	Sol 3xv mB		125 - 150
	23	Sol 3xv mB		150 - 175
	40	Sol C 20		100 - 125
<i>Spiraea nipponica 'Snowmound'</i>	7	I Str	3 Tr.	40 - 70
	465	vStr	4 Tr.	60 - 100
	270	vStr	4 Tr.	100 - 150
<i>Spiraea trilobata</i>	20	I Str	3 Tr.	40 - 70
	100	vStr	4 Tr.	30 - 40
	125	vStr	4 Tr.	40 - 60
<i>Spiraea vanhouttei</i>	270	I Str	3 Tr.	70 - 90
	819	vStr	4 Tr.	60 - 100
	90	Sol 3xv mB		125 - 150

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>	<i>Größe</i>
<i>Spiraea vanhouttei</i>	47	Sol 3xv mB	150 - 175
	8	Sol 3xv mB	150 - 200
	40	Sol C 20	100 - 125
	10	Sol C 20	125 - 150
<i>Symphoricarpos doorenbosii 'White Hedge'</i>	6	I Str	3 Tr. 40 - 70
	6	I Str	3 Tr. 70 - 90
	28	v Str	4 Tr. 40 - 60
	80	v Str	4 Tr. 60 - 100
<i>Taxus baccata</i>	2	Sol 5xv mDb	60- 80 x 225 - 250
<i>Viburnum bodnantense 'Dawn'</i>	15	C 7,5	60 - 80
<i>Vinca minor</i>	92	P 0,5	Tr. 3 - 4
	75	P 0,5	Tr. 5 - 7
	46	P 0,5	Tr. 8 - 12
<i>Vinca minor 'Alba'</i>	105	P 0,5	Tr. 3 - 4
	138	P 0,5	Tr. 5 - 7
<i>Vinca minor 'Atropurpurea'</i>	1944	P 0,5	Tr. 5 - 7
<i>Vinca minor 'Bowles'</i>	2868	P 0,5	Tr. 5 - 7
	84	P 0,5	Tr. 8 - 12
<i>Waldsteinia ternata</i>	2919	P 0,5	0 - 0
<i>Weigela 'Boskoop Glory'</i>	1	Sol 3xv mDb	150 - 200
<i>Weigela 'Bristol Ruby'</i>	31	v Str	4 Tr. 60 - 100
	325	v Str	5 Tr. 100 - 150
	29	Sol 3xv mB	125 - 150
	2	Sol 3xv mDb	150 - 200
	5	Sol 3xv mDb	200 - 250
	17	Sol C 20	100 - 125
<i>Weigela 'Eva Rathke'</i>	15	v Str	4 Tr. 60 - 100
	67	v Str	5 Tr. 100 - 150
	7	Sol 3xv mDb	125 - 150
	7	Sol 3xv mDb	150 - 200
	7	Sol C 20	100 - 125
<i>Weigela florida</i>	11	Sol 3xv mDb	150 - 200
<i>Weigela florida 'Purpurea'</i>	40	I Str	3 Tr. 40 - 70
	43	v Str	5 Tr. 30 - 40
	99	v Str	5 Tr. 40 - 60
	3	v Str	5 Tr. 60 - 100
	24	C 3	40 - 60
	42	Sol C 20	80 - 100
<i>Weigela 'Red Prince'</i>	26	I Str	3 Tr. 70 - 90
	7	C 3	40 - 60
	41	C 3	60 - 100
	24	Sol 3xv mB	100 - 125
	10	Sol 3xv mDb	125 - 150
	19	Sol C 20	100 - 125

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>	<i>Größe</i>
Weigela 'Red Prince'	10	Sol C 20	125 - 150
Weigela 'Styriaca'	5	vStr	4 Tr. 60 - 100
	8	Sol 3xv mDb	150 - 200
Koniferen			
Juniperus com. 'Hibernica'	100	mB	60 - 80
	106	3xv mB	80 - 100
	77	3xv mB	100 - 125
	106	3xv mB	125 - 150
	48	Sol 4xv mDb	150 - 175
	29	Sol 4xv mDb	175 - 200
	3	Sol 4xv mDb	200 - 225
Juniperus com. 'Meyer'	7	mB	60 - 80
	22	3xv mB	80 - 100
	29	3xv mB	100 - 125
	48	3xv mB	125 - 150
	2	Sol 4xv mDb	150 - 175
	17	Sol 4xv mDb	175 - 200
	19	Sol 4xv mDb	200 - 225
	4	Sol 5xv mDb	225 - 250
	10	Sol 5xv mDb	250 - 275
Juniperus com. 'Suecica'	40	mB	60 - 80
	35	3xv mB	80 - 100
	28	3xv mB	100 - 125
	101	3xv mB	125 - 150
	18	Sol 4xv mDb	150 - 175
	77	Sol 4xv mDb	175 - 200
	22	Sol 4xv mDb	200 - 225
	10	Sol 4xv mDb	225 - 250
	6	Sol 5xv mDb	250 - 275
Picea omorika	18	3xv mB	100 - 125
	70	3xv mB	125 - 150
	154	3xv mB	150 - 175
	357	3xv mB	175 - 200
	112	Sol 4xv mB	200 - 225
	70	Sol 4xv mDb	200 - 225
	61	Sol 4xv mDb	225 - 250
	6	Sol 5xv mDb	300 - 350
	8	Sol 5xv mDb	350 - 400
Taxus baccata	150	mB	50 - 60
	57	mB	60 - 70
	1000	3xv mB	70 - 80
	780	3xv mB	80 - 100
	102	3xv mB	100 - 125
	50	3xv mB	125 - 150
	100	C 3	30 - 40

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>	<i>Größe</i>
<i>Taxus baccata</i>	48	C 3	40 - 50
	30	C 3	50 - 60
	30	C 3	60 - 70
	1	Sol 4xv mDb	60- 80 x 125 - 150
	16	Sol 4xv mDb	60- 80 x 150 - 175
	70	Sol 4xv mDb	60- 80 x 175 - 200
	7	Sol 5xv mDb	60- 80 x 200 - 225
	14	Sol 4xv mDb	80-100 x 125 - 150
	78	Sol 4xv mDb	80-100 x 150 - 175
	78	Sol 4xv mDb	80-100 x 175 - 200
	10	Sol 5xv mDb	80-100 x 200 - 225
	1	Sol 5xv mDb	100-125 x 275 - 300
	2	Sol 5xv mDb	100-125 x 300 - 350
	3	Sol 6xv mDb	125-150 x 300 - 350
	3	Sol 6xv mDb	125-150 x 350 - 400
	1	Sol 6xv mDb	150-200 x 275 - 300
	2	Sol 7xv mDb	150-200 x 300 - 350
	2	Sol 7xv mDb	150-200 x 350 - 400
	1	Sol 7xv mDb	200-250 x 300 - 350
	<i>Taxus baccata 'Fastigiata'</i>	24	3xv mB
13		3xv mB	60 - 70
3		4xv mB	80 - 90
144		C 3	30 - 40
117		C 3	40 - 50
50		C 3	50 - 60
3		Sol 5xv mDb	160 - 180
<i>Taxus baccata 'Fastigiata Aureomarginata'</i>	100	3 j.v.St 0/1/2 P	8 - 12
	100	4 j.v.St 0/1/3 P	0 - 0
	22	3xv mB	50 - 60
	20	4xv mB	60 - 70
	3	4xv mB	70 - 80
	17	4xv mB	80 - 90
	89	C 3	30 - 40
	34	C 3	40 - 50
	71	C 5	50 - 60
	25	C 7,5	60 - 70
	21	Sol 5xv mDb	90 - 100
	3	Sol 5xv mDb	100 - 120
	15	Sol 5xv mDb	120 - 140
	<i>Taxus baccata 'Fastigiata Robusta'</i>	200	4 j.v.St 0/1/3 P
20		3xv mB	60 - 70
5		4xv mB	90 - 100
28		C 3	30 - 40
98		C 3	40 - 50
45		C 3	50 - 60
<i>Taxus baccata 'Overeynderi'</i>	476	4 j.v.St 0/1/3 P	12 - 18
	50	3xv mB	60 - 70
	150	3xv mB	70 - 80

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>	<i>Größe</i>
<i>Taxus baccata 'Overeynderi'</i>	86	4xv mB	100 - 125
	233	C 3	30 - 40
	145	C 3	40 - 50
	82	C 3	50 - 60
	6	Sol 4xv mDb	125 - 150
	36	Sol 4xv mDb	150 - 175
	4	Sol 4xv mDb	175 - 200
	6	Sol 4xv mDb	200 - 225
	5	Sol 5xv mDb	225 - 250
	<i>Taxus baccata 'Repandens'</i>	1072	3 j.v.St 0/1/2 P
950		4 j.v.St 0/1/3 P	12 - 18
179		mB	30 - 40
90		3xv mB	40 - 50
14		C 3	20 - 25
498		C 3	25 - 30
952		C 3	30 - 40
190		C 3	40 - 50
13		Sol 5xv mDb	100 - 125
12		Sol 5xv mDb	125 - 150
<i>Taxus media 'Hicksii'</i>		300	4 j.v.St 0/1/3 P
	115	3xv mB	70 - 80
	382	3xv mB	80 - 100
	99	3xv mB	100 - 125
	300	C 3	30 - 40
	60	C 3	40 - 50
	37	Sol 4xv mDb	125 - 150
	11	Sol 4xv mDb	150 - 175
	5	Sol 4xv mDb	175 - 200
<i>Taxus media 'Hillii'</i>	46	4 j.v.St 0/1/3 P	12 - 18
	96	3xv mB	60 - 70
	97	3xv mB	70 - 80
	409	C 3	30 - 40
	207	C 3	40 - 50
	100	C 3	50 - 60
<i>Thuja occidentalis 'Columna'</i>	100	mB	80 - 100
	180	3xv mB	100 - 125
	21	3xv mB	125 - 150
	41	3xv mB	150 - 175
	67	3xv mB	175 - 200
	44	C 3	40 - 60
	70	C 3	60 - 80
	1	Sol 5xv mDb	275 - 300
	<i>Thuja occidentalis 'Smaragd'</i>	40	mB
300		mB	80 - 100
46		3xv mB	100 - 125
48		3xv mB	125 - 150
18		3xv mB	150 - 175
9		4xv mDb	175 - 200

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>	<i>Größe</i>
<i>Thuja occidentalis 'Smaragd'</i>	70	C 3	40 - 60
	20	C 3	60 - 80
Jungpflanzen			
<i>Amelanchier laevis</i>	100	1 j.Vg X/1/0	30 - 50
<i>Amelanchier lamarckii</i>	350	2 j.v.S 1/1	30 - 50
<i>Amelanchier rotundifolia</i>	1497	2 j.v.S 1/1	30 - 50
<i>Deutzia kalmiiiflora</i>	200	2 j.v.St 0/1/1	15 - 30
	250	2 j.v.St 0/1/1	30 - 50
<i>Deutzia scabra 'Plena'</i>	375	1 j.bew.Sth 0/1	30 - 50
	400	1 j.bew.Sth 0/1	50 - 80
<i>Forsythia intermedia 'Spectabilis'</i>	1370	1 j.bew.Sth 0/1	30 - 50
	1025	1 j.bew.Sth 0/1	50 - 80
<i>Forsythia 'Lynwood'</i>	1200	1 j.bew.Sth 0/1	30 - 50
	700	1 j.bew.Sth 0/1	50 - 80
<i>Ligustrum ibolium</i>	500	1 j.bew.Sth 0/1	7 - 15
	1420	1 j.bew.Sth 0/1	15 - 30
	500	1 j.bew.Sth 0/1	30 - 50
<i>Ligustrum ovalifolium</i>	500	1 j.bew.Sth 0/1	7 - 15
	1500	1 j.bew.Sth 0/1	15 - 30
	500	1 j.bew.Sth 0/1	30 - 50
<i>Ligustrum vulgare</i>	275	1 j.bew.Sth 0/1	15 - 30
	1420	1 j.bew.Sth 0/1	30 - 50
	500	1 j.bew.Sth 0/1	50 - 80
	500	1 j.bew.Sth 0/1	ab 2 Tr. 30 - 50
	500	1 j.bew.Sth 0/1	ab 2 Tr. 50 - 80
<i>Ligustrum vulgare 'Atrovirens'</i>	3000	1 j.bew.Sth 0/1	15 - 30
	7000	1 j.bew.Sth 0/1	30 - 50
	1000	1 j.bew.Sth 0/1	ab 2 Tr. 30 - 50
<i>Ligustrum vulgare 'Glaucum'</i>	500	1 j.bew.Sth 0/1	15 - 30
	2000	1 j.bew.Sth 0/1	30 - 50
	500	1 j.bew.Sth 0/1	50 - 80
	500	1 j.bew.Sth 0/1	ab 2 Tr. 30 - 50
<i>Philadelphus 'Belle Etoile'</i>	465	1 j.bew.Sth 0/1	30 - 50
<i>Philadelphus coronarius</i>	510	1 j.bew.Sth 0/1	50 - 80
<i>Philadelphus 'Erectus'</i>	1000	1 j.bew.Sth 0/1	15 - 30
	1425	1 j.bew.Sth 0/1	30 - 50
	500	1 j.bew.Sth 0/1	50 - 80
<i>Ribes alpinum</i>	700	1 j.bew.Sth 0/1	15 - 30
	700	1 j.bew.Sth 0/1	30 - 50
<i>Ribes alpinum 'Schmidt'</i>	500	1 j.bew.Sth 0/1	15 - 30
	500	1 j.bew.Sth 0/1	30 - 50

<i>Bezeichnung</i>	<i>Bestand</i>	<i>Qualität</i>	<i>Größe</i>
<i>Ribes sanguineum 'Pulborough Scarlet'</i>	500	1 j.bew.Sth 0/1	80 - 120
<i>Spiraea arguta</i>	2395	2 j.v.St 0/1/1	15 - 30
	4495	2 j.v.St 0/1/1	30 - 50
<i>Spiraea betulifolia</i>	4000	2 j.v.St 0/1/1	7 - 15
	1420	2 j.v.St 0/1/1	15 - 30
<i>Spiraea betulifolia 'Tor'</i>	2000	2 j.v.St 0/1/1	7 - 15
<i>Spiraea cinerea</i>	600	2 j.v.St 0/1/1	15 - 30
	700	3 j.v.St 0/1/2	30 - 50
<i>Spiraea cinerea 'Grefsheim'</i>	550	2 j.v.St 0/1/1	15 - 30
	4165	2 j.v.St 0/1/1	30 - 50
<i>Spiraea japonica 'Anthony Waterer'</i>	1853	2 j.v.St 0/1/1	7 - 15
<i>Spiraea japonica 'Little Princess'</i>	400	2 j.v.St 0/1/1	7 - 15
<i>Spiraea nipponica</i>	200	2 j.v.St 0/1/1	15 - 30
	650	2 j.v.St 0/1/1	30 - 50
	300	2 j.v.St 0/1/1	50 - 80
<i>Spiraea nipponica 'Snowmound'</i>	148	2 j.v.St 0/1/1	7 - 15
	950	2 j.v.St 0/1/1	15 - 30
<i>Spiraea vanhouttei</i>	500	1 j.bew.Sth 0/1	30 - 50
	936	1 j.bew.Sth 0/1	50 - 80
<i>Weigela 'Bristol Ruby'</i>	400	2 j.v.St 0/1/1	50 - 80
<i>Weigela 'Eva Rathke'</i>	250	2 j.v.St 0/1/1	50 - 80
<i>Weigela 'Red Prince'</i>	75	2 j.v.St 0/1/1	50 - 80